

DECLARATION OF CONFORMITY

G

No: 02 - DoP - 15/01/2019

Regulation on the Criteria to Which the Building Materials Will be Subject

1)Unique identification code of the product-type

10 kg/m³ "Teknopor Asmolen"

2) Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)

10 kg/m³ "Teknopor Asmolen"

3)Intended use (according harmonized technical specification) of the product

Light Filler Blocks That Used as Flooring Filling Material

4)Name, registered trade name and contact address of the manufacturer (In accordance with the fifth paragraph of article 13 of this regulation) :

Teknopanel Çatı ve Cephe Panelleri Üretim San. Ve Tic. A.Ş.

Manisa Turgutlu 1.OSB, Tic. ve San. Odası Bulvarı, 191. Cad. No:19/1, 45400, Selvilitepe, Turgutlu, Manisa

www.teknopanel.com.tr

5) Name and contact address of the authorized representative (As per the second paragraph of Article 14 of this regulation)

Not applicable.

6) System(s) of assessment and verification of constancy of Performance of the construction product (specified in Annex-5 of this regulation)

System 3

7) Case a construction product covered by a harmonized standard;

Not applicable.

8) Case of a construction product for which a European Technical Assessment has been issued

TSE Construction Materials Fire and Acoustic Laboratory / 1783. Type tests of material were carried out based on the System 3 type calculations, the values given in the table or explanatory documents by the approved laboratory. Declaration of conformity has been issued based on technical approval document which has number of TSE/UTO/19-001.

9) DECLARED PERFORMANCE

Basic Requirements	Product Specification	Performance
Mechanical Strength and Stability	Geometry	L(3), W(3), T(2), Sb(5), P(5)
	Compressive Stress	CS(10)30
Safety in Case of Fire	Class of Reaction to Fire for Ceiling Covering of Plaster and Plasterboard	B S1 d0
	Class of Resistance to Fire for Ceiling Covering of Plaster	RE 90, REI90
	Class of Resistance to Fire for Ceiling Covering of Plasterboard	RE 120, REI90
Safety in Usage	Bending Strength	≥ 50kPa

The construction material, which is identified above has the declared performance. This declaration of performance is issued under the responsibility of Teknopanel Çatı ve Cephe Panelleri Üretim San. ve Tic. A.Ş.

Signed for and on behalf of the manufacturer by

Orhan Kahveci

General Manager

Teknopanel Cati ve Cephe Panelleri Üretim Charler Schrift ve Cephe Panelleri Üretim Charler Schrift ve Cephe Panelleri Üretim Charler Schrift ve Schrift v

Chay V.D. 8360357388 Mersis No: 3459 2712 9664 1458 / 7