



teknoprofil®

DECLARATION OF CONFORMITY

G

No: 09 – DoP – 06/12/2021

Regulation on the Criteria to Which the Building Materials Will be Subject

Description of the Product	: 10 kg/m ³ “ Teknoprofil Asmolen”
Intended Use of the Construction Material According to the Relevant Harmonized Technical Specifications	: Light Filler Blocks that used as flooring filling material
Registered Trade Name of the Manufacturer	: Teknoprofil Çatı ve Cephe Panelleri Üretim San.Tic.Ve A.Ş.
Contact Address of the Manufacturer	: Mersin Tarsus OSB 7. Cad. No:10, 33443, Akdeniz, MERSİN
System or system of the Construction Product:	System 3

Building material which has no standard and has a national technical evaluation is performed by the approved TSE Construction Materials Fire and Acoustic Laboratory / 1783. Type tests of material were carried out based on the System 3 type calculations, the values given in the table or explanatory documents by the approved laboratory. Declaration of conformity has been issued based on technical approval document which has number of TSE/UTO/21-028.

DECLARATION OF CONFORMITY

DECLARATION OF CONFORMITY

Declared Performance :

Basic Requirements	Product Specification	Performance
Mechanical strength and stability	Geometry	L(3), W(3), T(2), S(5), P(5)
	Compressive Stress	CS(10)30
Safety in case of fire	Class of reaction to fire for ceiling covering of plaster and plasterboard	B S1 d0
	Class of resistance to fire for ceiling covering of plaster	RE 90, REI90
	Class of resistance to fire for ceiling covering of plasterboard	RE 120, REI90
Safety in usage	Bükme dayanımı	≥ 50kPa

The construction material, which is identified above has the declared performance. This declaration of conformity is issued under the responsibility of Teknopanel Çatı ve Cephe Panelleri Üretim San. ve A.Ş.

Signed for and on behalf of the manufacturer:

Orhan Kahveci

General Manager

Teknopanel Çatı ve Cephe Panelleri Üretim San. ve Tic. A.Ş.
Mrk. : Mersin - Tarus OSB 7. Cadde No:10 Akdeniz-Mersin
Tel. : 0324 676 47 47 (pbx) Faks: 0324 676 47 48
Şb. : 2. OSB 1. Ad. No:1 Kemalhanlıca Köyü Hendek-Sakarya
Tel. : 0264 220 51 51 (pbx) Faks: 0264 220 51 53
URAY V.D. 8360357388 Mersis No: 3459 272 4464 1459 7